

List of Contraindications & Considerations for Cryoskin 2.0, 3.0, and 4.0

Cryoskin Slimming:

- Severe Raynaud's Syndrome
- Severe Allergy to Cold
- Cold-related Illness (Cryoglobulinemia, Paroxysmal Cold Hemoglobinuria, Cold Agglutinin Disease)
- Progressive Diseases (including but not limited to MS, ALS, Parkinson's, Neuropathy)
- Cancer
- HIV/AIDS
- Cardiovascular Disease or Lower Limb Ischemia
- Lymphatic Disorders
- Uncontrolled Diabetes or Diabetes-related complications
- Severe Kidney or Liver Disease
- Pregnancy/Breastfeeding
- Bacterial and viral infections of the skin
- Wound healing disorders
- Circulatory disorders
- Surgery in the past 6 months
- Pacemaker/metal implants
- Active/Severe Eczema, rashes, or dermatitis
- Use of topical antibiotics in desired treatment area
- Silicone/other implants in desired treatment area
- Mesh inserts in the desired treatment area
- Irremovable body piercings in the desired treatment area
- Incision scar(s) in the desired treatment area
- Open or infected wounds
- Impaired skin sensation
- Known sensitivity or allergy to propylene glycol
- Hernia in or adjacent to the treatment site
- Active implanted device such as pacemaker or defibrillator in or adjacent to desired treatment area

Cryoskin Toning:

- Severe Raynaud's Syndrome
- Severe Allergy to Cold
- Cold-related Illness (Cryoglobulinemia, Paroxysmal Cold Hemoglobinuria, Cold Agglutinin Disease)
- Progressive Diseases (including but not limited to MS, ALS, Parkinson's, Neuropathy)
- Pregnancy/Breastfeeding
- Cardiovascular Disease
- Lower Limb Ischemia
- Bacterial and viral infections of the skin
- Wound healing disorders
- Circulatory disorders
- Surgery in the past 6 months
- Pacemaker/metal implants

- Active/Severe Eczema, rashes, or dermatitis
- Silicone/other implants in desired treatment area
- Use of topical antibiotics in desired treatment area
- Mesh inserts in the desired treatment area
- Irremovable body piercings in the desired treatment area
- Impaired skin sensation
- Open or infected wounds
- Known sensitivity or allergy to propylene glycol
- Active implanted device such as pacemaker or defibrillator in or adjacent to desired treatment area

Cryoskin Facial:

- Severe Raynaud's Syndrome
- Severe Allergy to Cold
- Cold-related Illness (Cryoglobulinemia, Paroxysmal Cold Hemoglobinuria, Cold Agglutinin Disease)
- Progressive Diseases (including but not limited to MS, ALS, Parkinson's, Neuropathy)
- Cardiovascular Disease
- Lower Limb Ischemia
- Botox in the past 30 days
- Fillers in the past 90 days
- Bacterial and viral infections of the skin
- Wound healing disorders
- Circulatory disorders
- Metal implants
- Surgery in the past 6 months
- Active/Severe Eczema, rashes, or dermatitis
- Silicone/other implants in desired treatment area
- Use of topical antibiotics in desired treatment area
- Irremovable body piercings in the desired treatment area
- Impaired skin sensation
- Open or infected wounds
- Known sensitivity or allergy to propylene glycol
- Active implanted device such as pacemaker or defibrillator in or adjacent to desired treatment area